

PYRAMID

SPECIFICATIONS



PMBH215



PMBHTW4



PMBH15
PMBH18

About Pyramid PMBHTW/PMBH Professional STAGE Systems

Congratulations

You have just purchased one of our high quality Pyramid Professional STAGE Systems, Pyramid PMBHTW/PMBH series Professional STAGE Systems is carefully designed & manufactured for STAGE use. They could deliver consistent and high performance.

The General Features of Pyramid PMBHTW/PMBH Professional STAGE Systems


PMBHTW4

CARPETED HEAVY DUTY CONSTRUCTION
4 WAY TWEETER SYSTEM
FOUR 3" SUPER TWEETERS
MAX POWER HANDLING:300 WATTS
IMPEDANCE:8 OHM

PMBH SERIES:

CARPETED HEAVY DUTY CONSTRUCTION W/REINFORCED CORNERS
TWO HEAVY DUTY HANDLES FOR EASY PORTABILITY
QUICK CONNECT SPEAKER TERMINALS
HEAVY DUTY CASTER WHEELS
BUILT IN CROSSOVER NETWORK
IMPEDANCE 8 OHM


PMBH215



SPECIFICATIONS	PMBH215
ENCLOSURE TYPE	8-WAY BASS REFLEX
WOOFER SIZE	2X15" WOOFER
TWEETER SIZE	5X15"HORN
	5X3.4" PIEZO TWEETERS
SENSITIVITY	107DB
FREQUENCY RESPONSE	35-20KHZ
MAX POWER	1200 WATTS
IMPEDANCE	8 OHM
CROSSOVER NETWORK	INCLUDED
DIMENSIONS	45.5"Hx24"Wx15"D


PMBH15

PMBH18



SPECIFICATIONS	PMBH15	PMBH18
WOOFER SIZE	1X15"WOOFER	1X18"WOOFER
TWEETER SIZE	4"X10" HORN	5"X15" HORN
	5X3.4"TWEETER	5X3.4"TWEETER
SENSITIVITY	103DB	107DB
FREQUENCY RESPONSE	40-20KHZ	35-20KHZ
MAX POWER	800 WATTS	1200 WATTS
IMPEDANCE	8 OHM	8 OHM
CROSSOVER NETWORK	INCLUDED	INCLUDED
DIMENSIONS	29.5"Hx20"Wx13.25"D	32"Hx24"Wx15"D

PMBHTW4



SPECIFICATIONS	PMBHTW4
ENCLOSURE TYPE	4-WAY
TWEETER SIZE	4X3.4"PIEZO
SENSITIVITY	97DB
FREQUENCY RESPONSE	3.5K-20KHZ
MAX POWER	300 WATTS
IMPEDANCE	8 OHM
DIMENSIONS	5"Hx19"Wx8"D